

# 950/9 Hex-Plus 1 SB L-key set, metric, chrome-plated, 9 pieces

## L-Keys for Hexagon Socket Screws



<b>EAN:</b>	4013288030160	<b>Size:</b>	245x95x25 mm
<b>Part number:</b>	05073391001	<b>Weight:</b>	480 g
<b>Article number:</b>	950/9 Hex-Plus 1 SB SiS	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- L-keys for hexagonal socket screws
- Hex-Plus allows socket head screws to live longer
- High corrosion protection thanks to chrome-plating
- L-keys are quickly to hand thanks to their size markings
- Wear-resistant clip material for enhanced durability

High quality L-key set for hexagonal socket screws in a practical clip fastener out of wear-resistant material, enabling secure storage of the L-keys as well as simple removal. L-keys with Hex-Plus profile: offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. The ball-end on the long arm allows for reliable working even in difficult installation situations. The precise chrome-plated design ensures high corrosion protection. The tools are quickly to hand thanks to the laser-engraved and thereby wear-resistant size markings on the L-keys.

### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_1\\_sb\\_sis.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_1_sb_sis.html)

Wera - 950/9 Hex-Plus 1 SB SiS  
05073391001 - 4013288030160

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## L-Keys for Hexagon Socket Screws

### L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

### Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

### Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

### Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

### Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

### Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_1\\_sb\\_sis.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_1_sb_sis.html)

Wera - 950/9 Hex-Plus 1 SB SiS  
05073391001 - 4013288030160

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## 950/9 Hex-Plus 1 SB L-key set, metric, chrome-plated, 9 pieces

### L-Keys for Hexagon Socket Screws



#### Set contents:

#### 950 PKL L-key, metric, chrome-plated, 1.5 x 90 mm



05022050001 <sup>1)</sup>	1x	1.5 x 90 mm
05022052001	1x	2 x 100 mm
05022054001	1x	2.5 x 112 mm
05022056001	1x	3 x 126 mm
05022058001	1x	4 x 140 mm
05022060001	1x	5 x 160 mm
05022062001	1x	6 x 180 mm
05022064001	1x	8 x 200 mm
05022066001	1x	10 x 219 mm

1) Regular hexagon

#### Web link

[https://products.wera.de/en/l-keys\\_l-keys\\_for\\_hexagon\\_socket\\_screws\\_950\\_9\\_hex-plus\\_1\\_sb\\_sis.html](https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950_9_hex-plus_1_sb_sis.html)

Wera - 950/9 Hex-Plus 1 SB SiS  
05073391001 - 4013288030160

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)