

8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric,  
28 pieces  
The Zyklop Metal Ratchet Push, 1/2"



<b>EAN:</b>	4013288173942	<b>Size:</b>	325x145x70 mm
<b>Part number:</b>	05004077001	<b>Weight:</b>	2862 g
<b>Article number:</b>	8100 SC 7	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82041100

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square
- With Take it easy tool finder: colour coding by size

Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable. They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.




**Web link**

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_1\\_2\\_the\\_zyklop\\_metal\\_ratchet\\_push\\_1\\_2\\_8100\\_sc\\_7.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_2_the_zyklop_metal_ratchet_push_1_2_8100_sc_7.html)

Wera - 8100 SC 7  
05004077001 - 4013288173942

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

### Zyklus Metal Push



Due to the ever-more confined working environment, space is becoming more and more an issue for the application of ratchets. Our product developers therefore intensively occupied themselves with the issue of confined working spaces, and Wera has now solved this problem. The extremely slim and robust Zyklus Metal ratchet with a long lever was what emerged. When the socket must not get lost and a coincidental change of direction has to be avoided at all cost, the Zyklus Metal Push is the correct choice.

### Slim design



Forged, full metal ratchet (chrome-molybdenum) that is extremely robust with a long service life; slim design to enable work in very confined spaces.

### Square drive



Smooth push-through mechanism, that cannot get lost.

#### Web link

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklus\\_ratchets\\_the\\_zyklus\\_ratchets\\_1\\_2\\_the\\_zyklus\\_metal\\_ratchet\\_push\\_1\\_2\\_8100\\_sc\\_7.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklus_ratchets_the_zyklus_ratchets_1_2_the_zyklus_metal_ratchet_push_1_2_8100_sc_7.html)


Wera - 8100 SC 7  
05004077001 - 4013288173942

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**8100 SC 7 Zyklus Metal Ratchet Set with push-through square, 1/2" drive, metric,  
28 pieces  
The Zyklus Metal Ratchet Push, 1/2"**




**Dual ratchet teeth**



The dual-ratchet-teeth design means that a 76 fine-tooth division can be achieved from the 38 robust teeth with a return angle of only 4.7°.

**Ball lock**



The ball lock ensures sockets and accessories fit securely, providing increased safety during operation. A short press on the release button allows the tool to be changed quickly.

**Take it easy tool finder system**



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklus bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklus sockets and Zyklus bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklus bit sockets).

**Textile boxes**



The textile boxes offer dramatically improved portability, and are space-saving to boot! This means you can now carry the same collection of tools, in a much more compact and comfortable package. The hassle of running back and forth for the right tools has now become a thing of the past. And the much lower weight of a set makes carrying more convenient than ever before. The textile box including the tool will even survive a fall undamaged.

**Web link**

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklus\\_ratchets\\_the\\_zyklus\\_ratchets\\_1\\_2\\_the\\_zyklus\\_metal\\_ratchet\\_push\\_1\\_2\\_8100\\_sc\\_7.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklus_ratchets_the_zyklus_ratchets_1_2_the_zyklus_metal_ratchet_push_1_2_8100_sc_7.html)

Wera - 8100 SC 7  
05004077001 - 4013288173942



Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric,  
28 pieces**  
The Zyklop Metal Ratchet Push, 1/2"



**Set contents:**



**8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive, 1/2" x 281 mm**

	05004063001	1x	1/2" x 281 mm
			



**8790 HMC Zyklop socket with 1/2" drive, 10 x 37 mm**

	05003601001	1x	10 x 37 mm
	05003602001	1x	11 x 37 mm
	05003603001	1x	12 x 37 mm
	05003604001	1x	13 x 37 mm
	05003605001	1x	14 x 37 mm
	05003606001	1x	15 x 37 mm
	05003607001	1x	16 x 37 mm
	05003608001	1x	17 x 37 mm
	05003609001	1x	18 x 37 mm
	05003610001	1x	19 x 37 mm



**8794 LC Zyklop extension with free-turning sleeve, long, 1/2", 1/2" x 250 mm**

	05003638001	1x	1/2" x 250 mm
			



**8794 C Zyklop wobble extension, 1/2", 1/2" x 52 mm**

	05003639001	1x	1/2" x 52 mm
			



**8784 C2 Zyklop bit adaptor, 1/2", 5/16", 5/16" x 1/2" x 50 mm**

	05003641001	1x	5/16" x 1/2" x 50 mm
			

**851/2 Z bits, PH 2 x 32 mm**

	05057710001	1x	PH 2 x 32 mm
	05057715001	1x	PH 3 x 32 mm

**867/2 Z TORX® bits, TX 20 x 35 mm**

	05066901001	1x	TX 20 x 35 mm
	05066900001	1x	TX 25 x 35 mm
	05066902001	1x	TX 27 x 35 mm
	05066905001	1x	TX 30 x 35 mm
	05066910001	1x	TX 40 x 35 mm
	05066915001	1x	TX 45 x 35 mm
	05066920001	1x	TX 50 x 35 mm
	05066925001	1x	TX 55 x 35 mm

**Web link**

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_1\\_2\\_the\\_zyklop\\_metal\\_ratchet\\_push\\_1\\_2\\_8100\\_sc\\_7.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_2_the_zyklop_metal_ratchet_push_1_2_8100_sc_7.html)

Wera - 8100 SC 7  
05004077001 - 4013288173942

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric,  
28 pieces  
The Zyklop Metal Ratchet Push, 1/2"



**Web link**

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_1\\_2\\_the\\_zyklop\\_metal\\_ratchet\\_push\\_1\\_2\\_8100\\_sc\\_7.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_2_the_zyklop_metal_ratchet_push_1_2_8100_sc_7.html)

Wera - 8100 SC 7  
05004077001 - 4013288173942



Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric,  
28 pieces**  
The Zyklop Metal Ratchet Push, 1/2"



**Set contents:**



**8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive, 1/2" x 281 mm**

	05004063001	1x	1/2" x 281 mm
			



**8790 HMC Zyklop socket with 1/2" drive, 10 x 37 mm**

	05003601001	1x	10 x 37 mm
	05003602001	1x	11 x 37 mm
	05003603001	1x	12 x 37 mm
	05003604001	1x	13 x 37 mm
	05003605001	1x	14 x 37 mm
	05003606001	1x	15 x 37 mm
	05003607001	1x	16 x 37 mm
	05003608001	1x	17 x 37 mm
	05003609001	1x	18 x 37 mm
	05003610001	1x	19 x 37 mm



**8794 LC Zyklop extension with free-turning sleeve, long, 1/2", 1/2" x 250 mm**

	05003638001	1x	1/2" x 250 mm
			



**8794 C Zyklop wobble extension, 1/2", 1/2" x 52 mm**

	05003639001	1x	1/2" x 52 mm
			



**8784 C2 Zyklop bit adaptor, 1/2", 5/16", 5/16" x 1/2" x 50 mm**

	05003641001	1x	5/16" x 1/2" x 50 mm
			



**851/2 Z bits, PH 2 x 32 mm**

	05057710001	1x	PH 2 x 32 mm
	05057715001	1x	PH 3 x 32 mm

**867/2 Z TORX® bits, TX 20 x 35 mm**

	05066901001	1x	TX 20 x 35 mm
	05066900001	1x	TX 25 x 35 mm
	05066902001	1x	TX 27 x 35 mm
	05066905001	1x	TX 30 x 35 mm
	05066910001	1x	TX 40 x 35 mm
	05066915001	1x	TX 45 x 35 mm
	05066920001	1x	TX 50 x 35 mm
	05066925001	1x	TX 55 x 35 mm

**840/2 Z Bits, 5 x 30 mm**

	05057515001	1x	5 x 30 mm
	05057520001	1x	6 x 30 mm
	05057525001	1x	8 x 30 mm
	05057530001	1x	10 x 30 mm

**Web link**

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_1\\_2\\_the\\_zyklop\\_metal\\_ratchet\\_push\\_1\\_2\\_8100\\_sc\\_7.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_2_the_zyklop_metal_ratchet_push_1_2_8100_sc_7.html)

Wera - 8100 SC 7  
05004077001 - 4013288173942

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric,  
28 pieces  
The Zyklop Metal Ratchet Push, 1/2"



**Web link**

[https://products.wera.de/en/ratchets\\_and\\_accessories\\_the\\_zyklop\\_ratchets\\_the\\_zyklop\\_ratchets\\_1\\_2\\_the\\_zyklop\\_metal\\_ratchet\\_push\\_1\\_2\\_8100\\_sc\\_7.html](https://products.wera.de/en/ratchets_and_accessories_the_zyklop_ratchets_the_zyklop_ratchets_1_2_the_zyklop_metal_ratchet_push_1_2_8100_sc_7.html)

Wera - 8100 SC 7  
05004077001 - 4013288173942

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)